

SHED ZONING PERMIT APPLICATION

- (1) A property survey showing the location of the shed is required for review
(2) A complete set of construction drawings of the shed is also required

Please Print all Information Requested

Date_____

Property Owner's Last Name_____First_____

Address_____

City_____State_____Zip_____

Phone (Home)_____Work_____

Address for which Permit is Required _____

Block_____Lot_____

Proposed Shed Description: Size_____X_____Max Height (ft)_____

What will the shed be mounted on? _____

THE ZONING TABLE ON OPPOSITE SIDE MUST BE COMPLETED OTHERWISE THE APPLICATION WILL BE REJECTED.

Submitted by_____

Address_____

City_____State_____Zip_____

Phone_____Fax_____

Borough Shed Zoning Permit Fee: \$50.00 Date Fee Paid:_____ Check #_____

APPROVED ☐

DENIED ☐

Control No:_____

Municipal Zoning Permit No._____

Construction Official/Zoning Officer

Date_____

General Requirements for Sheds

Sheds with an area of 100 square feet or less and an average height not exceeding 9' 6" do not require a construction permit but do require a Zoning Approval permit

Sheds with an area greater than 100 square feet and less than 200 square feet require Zoning Approval as well as a Construction Permit. The shed is to be mounted on a base of at least four inches of crushed stone or an equivalent mounting surface. It must be securely tied down to prevent wind from disturbing the installation. Inspection upon completion is required.

Sheds must be at least six feet from side and rear property lines and must meet the front setback requirements for the zone. Sheds must also be at least ten feet from any principal building.

Consideration should be given to the fact that Sheds impact the Building Coverage as well as Gross Building Floor Area which are parameters governed by Borough Zoning Ordinances. The following information is from the Zoning Ordinances.

BOROUGH OF ALLENDALE ZONING REVIEW DATA TABLE

Proper Zoning Review requires the completion of the data sheet. The "Proposed" column should include the NEW parameters which would result from building the NEW shed (s).

	PARAMETER	EXISTING	APPLICABLE MAX/MIN/REQ'd or ALLOWED	PROPOSED
(A)	Lot Area (Sq Feet)			
(B)	Building Coverage (Sq Feet)			
(C)	Other Impervious Coverage (Sq Feet)			
(D)	Total Coverage (B + C) (%)			
(E)	Gross Building Floor Area (Sq Feet) (GBA)			
(F)	Floor Area Ratio (%)			
(G)	Height of proposed Shed (Ft)		Max. 9.5 ft. peak	
(H)	Setback from property lines		Minimum of 6 feet	

(All three columns are to be completed---areas in square feet, setbacks in feet, F.A.R. in %)

(A) **Lot Area**---This is the actual square footage of the lot.

(B) **Building Coverage**---This is square footage of the land area covered by buildings or other structures with roofed areas.

- Residences
- Garages, **Sheds**, Porches
- Decks, Cabanas, Etc.

(C) **Other Impervious Coverage**---This is the square footage of all other impervious surfaces other than that created by Building Coverage.

- Driveways and other paved areas, Patios & walkways, tennis & basketball courts, areas with interlocking "paver" stones, etc.
- Surface area of swimming pools, decks which do not allow free drainage of rainwater through to the ground underneath.

(D) **Total Coverage**---The sum of (B) and (C) is, in fact, the **total impervious surface area**. The **maximum** is determined using the formulas under 270-62. This value should be inserted into the center column of Row D in the above chart

(E) **Gross Building Floor Area**---The square footage of all enclosed floor areas of buildings on the property.

- Residences—all floors **excluding** open porches, unfinished attics, basements, decks, or patios
- Garages and Accessory buildings (**Sheds**, etc)

(F) **Floor Area Ratio (F.A.R.)** ---Allowable F.A.R. is defined by the Code. Calculate **Existing** and **Proposed** by **dividing Existing** and **Proposed Gross Building Floor Area**, respectively, by Lot Size.

